

Notice of Allowability	Application No.	Applicant(s)	
	10/626,042	BODE ET AL.	
	Examiner	Art Unit	<i>MW</i>

Frank S Tsay 3672

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to original application filed on 7/24/03.
2. The allowed claim(s) is/are 1-16, 23-25, 28, 30, 33-35, 37-39, 41 and 44-47.
3. The drawings filed on 24 July 2003 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 7/24/03
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

Allowable Subject Matter

Claims 1-16, 23-25, 28, 30, 33-35, 37-39, 41, and 44-47 are allowed.

The following is an examiner's statement of reasons for allowance: French and Bode et al'210 disclose the art of adjustable sleeve for flow control, while both have similar general feature of controlling flow through the tubular by shifting relative position of concentric overlapping ported sleeves, the prior art of record at least fail to teach or suggest the use of an electromechanical device or motor to impart the movement to the sleeve nor the combination of using a fixed ring and a rotatable ring on the outersurface of a ported tubular to create a passage along the outer surface of fixed ring and the rotatable ring and communicate through a chamber with the aperture of the tubular.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Johnson et al teaches a flow control apparatus and method.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frank S Tsay whose telephone number is (703) 308-2170. The examiner can normally be reached on Monday thru Friday, 7:30am-5:00 pm, 2nd Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David J Bagnell can be reached on (703)308-2151. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Frank S Tsay
Primary Examiner
Art Unit 3672

11/23/04